## IN THE CLAIMS

Please amend the claims to read as follows:
Listing of Claims

1. (Currently Amended) A communication terminal apparatus comprising:

a signal point arranging means for arranging section that arranges signal points based on power ratio information which is a ratio of transmission power of a common known signal to transmission power of a signal included in a channel that does not have a known signal; and

a demodulating means for performing section that performs quadrature amplitude demodulation of received data based on the signal points arranged by said signal point arranging means section.

2. (Currently Amended) The communication terminal apparatus according to claim 1, further comprising <u>an</u> extracting <u>means for extracting section that extracts</u> the power ratio information included in signals transmitted from a base station apparatus, wherein said signal point arranging <u>means</u> <u>section</u> arranges the signal points based on the power ratio information extracted by said extracting <u>means</u> <u>section</u>.

3. (Currently Amended) A communication terminal apparatus comprising:

a signal point arranging means for arranging section that arranges signal points based on an average power ratio which is a ratio of reception power of a common known signal transmitted from a base station apparatus to an average value for each processing timing of reception power of signals included in a channel that does not have a known signal; and

a demodulating means for performing section that performs quadrature amplitude demodulation of received data based on signal points arranged by said signal point arranging means section.

4. (Currently Amended) A base station apparatus comprising:

a modulating means for switching section that switches a modulation method according to an estimated channel condition and modulating transmit data;

a power ratio information calculating means for calculating section that calculates power ratio information which is a ratio of transmission power of a common known signal to transmission power of a signal included in a channel that does not have a known signal; and

<u>a</u> transmitting means for transmitting section that transmits calculated power ratio information to the <u>a</u> communication terminal apparatus according to claim 2.

5. (Original) A demodulation method comprising the steps of:

arranging signal points based on power ratio information which is a ratio of transmission power of a common known signal to transmission power of a signal included in a channel that does not have a known signal; and

performing quadrature amplitude demodulation of received data based on arranged signal points.